




**WIRE MESH FOR FENCE  
&  
Chain Link Fence**


**G CHUNWIN**  
BUILDING MATERIALS LTD  
Tel: 25464006 info@chunwincom  
<https://gentleglory.com>

# Wire Mesh



## Applications

Wire Mesh is one of the most versatile of industrial wire products and has innumerable applications throughout all types of industry; such as fencing, storage, screen, conveying belt etc.



Welded Mesh

## Materials & Finish

Wire Mesh are available:

- Stainless steel
  - Aluminum
  - Steel
  - Galvanized
  - Plastic coated
  - Powder Coating
- Steel wire to BS4102 and galvanized to BS443

## Standard Specification - GLOMESH

### Welded Mesh

**Wires:** 2 to 10 mm diameter for Longitude and Cross are available, stainless steel is up to 6mm only.

**Meshes:** From 10mm


**Max Size:** 2400 x 4000mm

Mesh (mm)	Wire Dia.		Max. Size (mm)
	Longitude (mm)	Cross (mm)	
10 x 10	2.0	2.0	2400 x 4000
25 x 25	2.0	2.0	2400 x 4000
50 x 50	3.0	3.0	2400 x 4000
25 x 75	4.0	3.0	2400 x 4000
40 x 80	4.0	4.0	2400 x 4000

Note: Other specifications are available upon request

## Plastic Coated (plastic dipped) & Powder Coating - GLOMESH

(Welded Mesh)



- ✦ To protect steel wire against rust to extend its life time
- ✦ To provide the distinctive and colorful appearance
- ✦ Approximate 25% of wire diameter increased after Plastic Coated
- ✦ 60 – 80 micron for **One-Coat System** and 120 micron for **Two-Coat System** of powder coating
- ✦ RAL color chart available
- ✦ Supply in sheet form only
- ✦ The maximum sheet size 1800 x 2500mm for Plastic Coated
- ✦ Max. width 2000mm for powder coating

## Application

### Fencing



Single gate

### Double gate



## Chain Link Fence



**Post:** Galvanized and "Triplex" powder coated round tube 34, 42, 48, 60, 76 and 102mm at 2.5-3.0m c/c.

**Chainlink Fence:** Galvanized and PVC coated Ø2.0mm, Ø2.5mm, Ø3.5mm and Ø4.0mm wire etc., for mesh 50 x 50, 40 x 40, 25x25mm

**Bracing Wires:** Ø3.5mm PVC coated or Ø3mm galvanized at every 500mm.

**Remark:** other specification are available upon request

